Impulse





Impulse


44271

▲4272

▲4273

∢4274


∢4275



Fabric Specification

Impulse		Technical Details
Composition	:	100% Polyester
Woven	:	Yes
Coated	:	Yes
Weight	:	495 gsm (±5%)
Fabric Thickness	:	0.57mm (±0.05)
Width	:	2.50 mtr.
Light Fastness		4 to 5 Grade
PVC Free	:	Yes
Oeko-tex-standard 100	:	Yes
Hanging Properties	1	Excellent
Tearing Strength	:	Very high
Cleaning	:	Conditionally cleanable with a damp cloth






Cassette and Fixing options




32 Plain Cassette



Decorative Cassette



Headrail



Direct Fix

Give your blinds a glamorous enhancement with a sleek cassette which is fitted at the top of the blinds, discreetly hiding the operating mechanism. You can modernize Roller blinds using plain cassette or matching fabric decorative cassette.







Fluff

▲4229

44234

44226

◀4235

◀4236

◀4225

◀4224

◀4222

◀4227

◀4239

◀4223



Fluff		Technical Details
Composition		100% PES with acrylic coating
Woven	:	Yes
Coated		Yes
Weight	:	340 gsm (±5%)
Fabric Thickness		0.41mm (±0.05)
Width	1	2.50 mtr.
Light Fastness	:	4 Grade
PVC Free		Yes
Green Guard	:	Yes
Oeko-tex-standard 100	:	Yes
Hanging Properties	:	Excellent
Tearing Strength	:	Very high
Cleaning		Conditionally cleanable with a damp clot



◆ Operating Systems














For your comfort and pleasure, Marvel provides wide range of operating systems for blinds.

- 01. Manual with standard Ball chain.
- 02. One Touch Down is a smart system in roman blinds wherein you just need to pull the operating chain, and the blind will start folding up on its own.
- 03. One Touch Up is a smart system in roller blinds wherein you just need to pull the operating cord, and the blind will roll up on its own.
- 04. In Automation, Marvel offer Blinds operated by remote or smart phone, which adds to your comfort and pleasure.



Fluff

◀4237


▲4238



Fluff		Technical Details
Composition	:	100% PES with acrylic coating
Woven	÷ :	Yes
Coated		Yes
Weight	:	340 gsm (±5%)
Fabric Thickness		0.41mm (±0.05)
Width		2.50 mtr.
Light Fastness	:	4 Grade
PVC Free	:	Yes
Green Guard	:	Yes
Oeko-tex-standard 100		Yes
Hanging Properties	:	Excellent
Tearing Strength	:	Very high
Cleaning		Conditionally cleanable with a damp cloth



Automation



Automation in blinds gives your home a touch of originality, improves function and adds value. It makes complete sense for those hard to reach places. We offer a blend of design, technology and innovation that is easy to use for everybody and is amazingly versatile. You can choose from wide range of portable controllers and technologies like WT, RTS and Wire Free to fulfil all your automation needs.

The Remote Control allows you to preset and easily operate a group of up to sixteen different window blinds, individually or together with just a press of a button. Remote Controls are available in different colours and can also be affixed to a wall.

Shein





Shein

44201

◀4202

◀4203

44204

◀4205

▲4206

▲4207

◀4208

44209



Shein		Technical Details
Composition	:	60% PVC 40% Fiberglass
Woven	:	Yes
Coated	:	Yes
Weight	;	530 gsm (±5%)
Fabric Thickness	:	0.40mm (±0.05)
Width	:	2.50 mtr. 3.00 mtr.
Light Fastness	:	5 Grade
Fire Retardant	:	Yes (NFPA-701)
Green Guard	:	Yes
Oeko-tex-standard 100	:	Yes
Hanging Properties	:	Excellent
Tearing Strength	:	Very high
Cleaning	:	Very high
Product Options	:	Roller / Panel





◆ Bottom options



Round Bottom Rail



Pentagon Bottom Rail



Decorative Bottom Rail

Marvel provides various options in bottom rails according to the blinds. We have options of round, pentagon and decorative bottom rails. These bottom rails blend beautifully with the blinds enhancing their look by making them more stylish and sophisticated.

Carlos





Carlos

◀4261

◀4262

◀4263

◀4264

◀4265


▲4266



Fabric Specification

Carlos		Technical Details
Composition	:	100% Polyester with acrylic coating
Woven	:	Yes
Coated	:	Yes
Weight	:	360 gsm (±5%)
Fabric Thickness	:	0.53mm (±0.05)
Width	:	2.40 mtr.
Green Guard	:	Yes
Oeko-tex-standard 100	:	Yes
Hanging Properties	:	Excellent
Tearing Strength	:	Very high
Cleaning	1	Conditionally cleanable with a damp cloth





HOME MODE

(centralisation)
One click to open or close all your blinds

TIMER

Programming for the blinds at preferred times each day, to simulate presence

AMBIANCE REPLAY

Run programmed ambiances with 1 click. For instance, run the "Film evening" ambiance to close the living room blinds



Adonia





Adonia

- **4**4151
- ◀4152
- ◀4153
- ◀4154
- ◀4155



Fabric Specification

Adonia		Technical Details
Composition	:	100% Polyester
Woven	:	Yes
Coated	:	Yes
Weight	:	390 gsm (±5%)
Fabric Thickness	:	0.70mm (±0.05)
Width	:	2.80 mtr.
Light Fastness	:	4 to 5 Grade
PVC Free	:	Yes
Green Guard	:	Yes
Hanging Properties	:	Excellent
Tearing Strength	:	Very high
Cleaning	-;	Conditionally cleanable with a damp cloth





◆ Cassette and Fixing options



32 Plain Cassette



Decorative Cassette



Headrail



Direct Fix

Give your blinds a glamorous enhancement with a sleek cassette which is fitted at the top of the blinds, discreetly hiding the operating mechanism. You can modernize Roller blinds using plain cassette or matching fabric decorative cassette.

Seven





Seven

◀4031

◀4032


◀4033

44034

◀4035

◀4036

44037



Seven		Technical Details
Composition	:	100% Polyester
Woven	:	Yes
Coated	:	Yes
Weight	:	330 gsm (±5%)
Fabric Thickness	:	0.42mm (±0.05)
Width	:	3.00 mtr.
Light Fastness	:	5 to 6 Grade
PVC Free	•	Yes
Green Guard	:	Yes
Oeko-tex-standard 100	:	Yes
Hanging Properties	:	Excellent
Tearing Strength	:	Very high
Cleaning	:	Conditionally cleanable with a damp cloth



Panel Blinds

◆ Track options



3 Track Channel




4 Track Channel



6 Track Channel

Channel Size	Depth of channel
3 Track Channel	56mm
4 Track Channel	74mm
6 Track Channel	110mm


◆ Channel / Bottom design



Plain Channel



Decorative Channel



Decorative Bottom

You can modernize Panel blinds using plain channel / bottom or matching fabric decorative channel / bottom.



Vittorio





Vittorio

44141

◀4143

◀4144

∢4142




Vittorio		Technical Details
Composition	:	100% Polyester
Woven	:	Yes
Coated	:	Yes
Weight	:	400 gsm (±5%)
Fabric Thickness	:	0.70mm (±0.05)
Width	:	2.80 mtr.
Light Fastness	:	4 to 5 Grade
PVC Free	:	Yes
Green Guard	:	Yes
Oeko-tex-standard 100	:	Yes
Hanging Properties	:	Excellent
Tearing Strength	:	Very high
Cleaning	:	Conditionally cleanable with a damp cloth



◆ Cassettes for Roman Blinds



Decorative Cassette



One Touch Down Decorative Cassette

Give your blinds a glamorous enhancement with a sleek cassette which is fitted at the top of the blinds, discreetly hiding the operating mechanism. Roman blinds are available with matching fabric decorative cassette.



Posh





The state of the s

Posh

44191

◀4192

◀4193

◀4194



Posh		Technical Details
Composition	:	100% Polyester
Woven	:	Yes
Coated	:	Yes
Weight	:	410 gsm (±5%)
Fabric Thickness	:	0.67mm (±0.05)
Width	:	2.80 mtr.
Light Fastness		4 to 5 Grade
PVC Free	:	Yes
Green Guard		Yes
Hanging Properties		Excellent
Tearing Strength		Very high
Cleaning	:	Conditionally cleanable with a damp cloth



Operating Systems













For your comfort and pleasure, Marvel provides wide range of operating systems for blinds.

- 01. Manual with standard Ball chain.
- 02. One Touch Down is a smart system in roman blinds wherein you just need to pull the operating chain, and the blind will start folding up on its own.
- 03. One Touch Up is a smart system in roller blinds wherein you just need to pull the operating cord, and the blind will roll up on its own.
- 04. In Automation, Marvel offer Blinds operated by remote or smart phone, which adds to your comfort and pleasure.

Azure



The same of the sa

The same of the sa

and the second second

GEFFE CO.

The property of the same



Azure

44181

44182



Fabric Specification

Azure		Technical Details
Composition	:	78.5% Polyester + 21.5% Linen
Woven	:	Yes
Coated		Yes
Weight	:	360 gsm (±5%)
Fabric Thickness	:	0.45mm (±0.05)
Width		2.50 mtr.
Light Fastness	:	4 to 5 Grade
PVC Free	:	Yes
Green Guard	:	Yes
Hanging Properties	:	Excellent
Tearing Strength	:	Very high
Cleaning		Conditionally cleanable with a damp cloth



Automation



Automation in blinds gives your home a touch of originality, improves function and adds value. It makes complete sense for those hard to reach places. We offer a blend of design, technology and innovation that is easy to use for everybody and is amazingly versatile. You can choose from wide range of portable controllers and technologies like WT, RTS and Wire Free to fulfil all your automation needs.

The Remote Control allows you to preset and easily operate a group of up to sixteen different window blinds, individually or together with just a press of a button. Remote Controls are available in different colours and can also be affixed to a wall.

Array







Array

44161

44162



Fabric Specification

Array		Technical Details
Composition		100% Polyester
Woven		Yes
Coated	:	Yes
Weight		340 gsm (±5%)
Fabric Thickness	:	0.55mm (±0.05)
Width	÷	2.80 mtr.
Light Fastness		4 to 5 Grade
PVC Free	:	Yes
Green Guard		Yes
Hanging Properties	:	Excellent
Tearing Strength	:	Very high
Cleaning	:	Conditionally cleanable with a damp cloth






◆ Cassette and Fixing options




32 Plain Cassette



Decorative Cassette



Headrail



Direct Fix

Give your blinds a glamorous enhancement with a sleek cassette which is fitted at the top of the blinds, discreetly hiding the operating mechanism. You can modernize Roller blinds using plain cassette or matching fabric decorative cassette.

Harp





Harp

◀4021

◀4022

◀4023

◀4024

◀4025

◀4026

◀4027

◀4028



Fabric Specification

Harp		Technical Details
Composition	:	100% Polyester
Woven	:	Yes
Coated	:	Yes
Weight	:	395 gsm (±5%)
Fabric Thickness	:	0.70mm (±0.05)
Width	:	2.80 mtr.
Light Fastness		more than 4 Grade
PVC Free	:	Yes
Oeko-tex-standard 100	:	Yes
Hanging Properties	:	Excellent
Tearing Strength	:	Very high
Cleaning	:	Conditionally cleanable with a damp cloth



Operating Systems













For your comfort and pleasure, Marvel provides wide range of operating systems for blinds.

- 01. Manual with standard Ball chain.
- 02. One Touch Down is a smart system in roman blinds wherein you just need to pull the operating chain, and the blind will start folding up on its own.
- 03. One Touch Up is a smart system in roller blinds wherein you just need to pull the operating cord, and the blind will roll up on its own.
- 04. In Automation, Marvel offer Blinds operated by remote or smart phone, which adds to your comfort and pleasure.